

Docket No.: P-0312

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT



In re Application of

Confirmation No.: 4115

Jae Woo LYU

Group Art Unit: 2633

Serial No: 10/029,261

Examiner: Hanh Phan

Filed: 12/28/2001

Customer No.: 34610

For: SYSTEM AND METHOD FOR DAISY-CHAINED OPTICAL REPEATERS

U.S. Patent and Trademark Office  
Customer Window, Mail Stop Amendment  
Randolph Building  
401 Dulany Street  
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☒ No additional fee is required.  
☐ Also attached:

The fee has been calculated as shown below:


	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	27	28		x \$50.00 =	\$
Independent Claims	5	5		x \$200.00 =	\$
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
<b>TOTAL FEE DUE</b>					<b>\$0</b>

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$\_\_\_\_\_. An additional copy of this transmittal sheet is submitted herewith.
- ☐ A check in the amount of \$\_\_\_\_\_ (Check #\_\_\_\_\_) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,  
FLESHNER & KIM, LLP

Daniel Y.J. Kim  
Registration No. 36,186  
David A. Bilodeau  
Registration No. 42,325

P.O. Box 221200  
Chantilly, VA 20153-1200  
(703) 766-3701 DYK/DAB:dac  
Date: March 8, 2005



Docket No.:P-0312

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of:

Confirmation No.: 4115

Jae Woo LYU

Group Art Unit: 2633

Serial No.: 10/029,261

Examiner: Hanh Phan

Filed: December 28, 2001

**Customer No.: 34610**

For: SYSTEM AND METHOD FOR DAISY-CHAINED OPTICAL REPEATERS

**AMENDMENT**

U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir:

In response to the Office Action of December 13, 2004, please amend the above-identified application as follows:

**Amendments to the Specification** begin on page 2 of this paper.

**Amendments to the Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Remarks/Arguments** begin on page 14 of this paper.